TECHNICAL SPECIFICATIONS.

TABLE 2

1.	Foundations: RCC Raft foundations.
2.	Superstructure: RCC in columns, beams, lintels and roof slabs, considering earthquake resistant
	structure, and walls in brick work with cement mortar.
3.	Door/Window Frames: Hard Marandi Wood. Provision for future jali shutter for external doors
	& windows.
4.	Door/Window Shutters: Door shutters will be flush door shutters with commercial veneering on
	both faces and painted. Window shutters will be of Ghana Teak Wood fully glazed and enamel
	painted.
5.	Flooring: Vitrified tiles in bedrooms, living room, and kitchen. Matt ceramic tiles in toilets.
6.	Kitchen: Jet Black Granite working top with glazed tiles up to two feet height on walls above the
	working counter. Kitchen sink of Stainless Steel. No kitchen cabinet will be provided.
7.	Toilets: Glazed tiles on walls up to full height in toilets. White glazed wash basin and Water
	Closet, C.P. fittings with concealed plumbing.
8.	Electrical: Copper wiring in the concealed PVC conduits with MCBs. No light fixtures geysers
	or fans will be provided.
9.	Niches: Niches for ward-robes in bedrooms shall be provided wherever feasible.
10.	Wall Finishing: All internal walls and ceiling shall be plastered with cement mortar and provided
	with White cement putty and painted with oil-bound distemper.
11.	External Façade: Cement Plaster with weather-proof snowcem / paint application.
12.	Roof Water Proofing: Brick-Bat coba on Terrace.
Note: The above specifications are tentative and subject to change on technical considerations. No	
claim on this account will be entertained.	